2025 Volume: 5, No: 4, pp. 1073–1088 ISSN: 2634-3576 (Print) | ISSN 2634-3584 (Online) posthumanism.co.uk

DOI: https://doi.org/10.63332/joph.v5i4.1193

Effects of Digital Health Technology Literacy, Health Empowerment, and Self-efficacy on Health-promoting Behaviors among Adults in South Korea

Ji-Su Kim¹, Hyejin Kim², Hyerine Shin³, Yoongi Chung⁴

Abstract

While previous research focused on digital device usage in eHealth services, this study examined the relationships between digital health technology literacy, health empowerment, and self-efficacy in predicting health-promoting behaviors. Participants (1086 adults) completed an online questionnaire. Descriptive statistics, t-tests, analyses of variance with Scheffé's test, Pearson's correlation coefficients, and multiple regression analyses were performed. Findings showed that age, economic status, religion, smoking, health empowerment, and self-efficacy affected health-promoting behaviors (35.6% explanatory power). However, digital health technology literacy was not a significant factor. Higher health empowerment and self-efficacy were associated with more health-promoting behaviors, with high economic status having the greatest influence. Factors influencing health-promoting behaviors did not differ significantly among the general adult population, individuals with specific diseases, or specific classes. Since digital health technology literacy did not significantly affect outcomes in the study population, further studies are needed on individuals with specific health conditions and the older adult population.

Keywords: Digital Health Technology Literacy, Health Empowerment, Self-Efficacy, Health-Promoting Behavior.

Introduction

The Internet usage rate in South Korea has increased steadily from 83.7% in 2010 to 96.5% in 2020 (Korean Statistical Information Service, 2022), while the smartphone usage rate among South Korean adults remained constant at 93% between 2017 and 2020 (Gallup Korea, 2024). Internet use has become an essential part of modern life with the growing popularity of various information devices such as smartphones and wearable devices. The number of Internet users searching for and using health and other information is consistently increasing worldwide (Liobikiene & Bernatoniene, 2018).

The ability to search for health information and services on the Internet and understand and evaluate the information to recognize one's health issues and make decisions is referred to as eHealth literacy or digital health literacy (Bodie & Dutta, 2008; Norman & Skinner, 2006). Studies on digital health literacy have primarily focused on digital devices, such as eHealth services, social media, mobile health, artificial intelligence, and wearable devices, as well as participants' literacy levels. However, with the paradigm shift in the Fourth Industrial Revolution, there is a need to examine how digital health literacy can be used for health

⁴ Department of Nursing, Chung-Ang University, Seoul 06974, Republic of Korea.



¹ Department of Nursing, Chung-Ang University, Seoul 06974, Republic of Korea.

² Department of Nursing, Chung-Ang University, Seoul 06974, Republic of Korea, Email: <u>khj1203@cau.ac.kr</u>, (Corresponding Author), Phone: +82-2-820-6686, ORCid: https://orcid.org/0000-0002-3285-8031

³ Department of Nursing, Dongguk University, Gyeongju-si 38066, Republic of Korea.

promotion (Hwang & Park, 2021). Additionally, in recent years, various terms such as eHealth literacy, digital health technology literacy (DHTL), Internet health information understanding ability, and digital literacy have been used interchangeably (Griebel et al., 2018). Previous research has explored digital health literacy and assessed participants' literacy levels (Hwang & Park, 2021); however, tools have recently been developed to define and measure DHTL, expanding digital health literacy to using various devices such as smartphones, Bluetooth, and wearable devices (Yoon et al., 2022). DHTL is a social determinant of health and a component of digital healthcare that can perpetuate health disparities and inequalities, emphasizing its importance when attempting digital innovation in health-promotion services (Park et al., 2022).

Health promotion is the process of enhancing an individual's ability to control and improve their health (World Health Organization, 1986). Health-promoting behaviors encompass various practices, such as diet, exercise, personal hygiene, and stress management, aimed at maintaining and managing health (Pender, 1996). Health-promoting behaviors refer to efforts and actions taken to actively improve lifestyle habits and enhance health (Kim, 2009). Although research on health-promoting behaviors has been extensive in the older adult population, studies on other age groups are insufficient. Factors influencing health-promoting behaviors include age (Kim & Hur, 2010; Park & Kim, 2016), education level (Kim & Hur, 2010; Lee, 2017), cohabitation with family members (Lee, 2017), economic status (Lee, 2017), subjective health status (Kim & Hur, 2010), social support (Kim & Hur, 2010; Park & Kim, 2016; Shin & Kang, 2015), health literacy (Chen et al., 2014; Jeong & Kim, 2014; Lee, 2017), self-efficacy (Jang & Shin, 2020; Kiajamali et al., 2017; Lee et al., 2016), and health empowerment (Jeong et al., 2022).

Health empowerment integrates health behavior compliance and empowerment, indicating individuals' willingness and ability to change their health behaviors to manage and prevent diseases (Jeong et al., 2022). In essence, it is a new approach that actively engages individuals in taking responsibility for their health and promotes self-initiated behavioral changes (Brørs et al., 2020; Jeong et al., 2022).

Self-efficacy refers to the belief that one can successfully perform the necessary behaviors to achieve desirable outcomes (Jang & Shin, 2020). Higher self-efficacy is associated with a higher health-related quality of life, underscoring the importance of enhancing self-efficacy through effective health-promotion practices (Lee et al., 2016). Conversely, low self-efficacy may lead to indifference and inertia toward oneself, acting as a barrier to maintaining health-promoting behaviors (Kiajamali et al., 2017).

Therefore, this study aimed to identify DHTL, health empowerment, self-efficacy, and healthpromoting behaviors among South Korean adults and examine the effects of DHTL, health empowerment, and self-efficacy on health-promoting behaviors. This study aimed to provide a basis for effective intervention strategies for health-promoting behaviors among South Korean adults.

Materials and Methods

Study Design and Participants

An online survey, conducted from March 8–14, 2022, targeted adult men and women aged 20–65 years who resided in South Korea. Embrain Co., Ltd. employed a stratified sampling method (stratified random sampling) based on the sex and age composition ratio of the residential areas. In total, 1333 men and 650 women participated. This study focused on 1086 participants after excluding those with missing data.

Participants who expressed interest voluntarily accessed the survey URL after receiving an email

explaining this study. Participants were informed of the study purpose and procedures, assured of confidentiality of personal information, and guaranteed that the findings would not be used for purposes other than this study. They were also assured that they could withdraw from this study at any time without any negative consequences and that those who completed the survey would receive cash points worth approximately 1,000 KRW. Statistical analyses were performed using the survey data prepared in an anonymous format without adding personal information.

Measures

DHTL was measured using the DHTL Assessment Questionnaire (Yoon et al., 2022), which contains 34 items in four categories: ICT terms, including basic terms to understand mobile devices; ICT icons, including basic icons; digital functional literacy, such as advanced skills to use mobile apps effectively; and digital critical literacy, such as cognitive skills to critically evaluate the reliability and relevance of health information and effectively use it to make health-related decisions. The maximum score was 34 points, with higher scores indicating higher DHTL. Overall Cronbach's α for the original scale was .95, and .87–.94 for the subscales (Yoon et al., 2022). In this study, Cronbach α was .91, and .69–.91 for the subscales.

Health empowerment refers to an individual's willingness to change their health behaviors to manage and prevent diseases. It was measured using the Korean version of the 8-item Health Empowerment Scale (Park & Park, 2013), which is based on the Diabetes Empowerment Scale-Short Form (Anderson et al., 2003). Responses were rated on a five-point Likert scale, with higher scores indicating greater health empowerment. Cronbach's α for the original scale was .84 (Anderson et al., 2003), and .80 in the Korean version (Park & Park, 2013). In this study, Cronbach's α was .89.

Self-efficacy refers to the belief that one can successfully perform behaviors necessary to achieve desirable outcomes; it was assessed using the Korean version of the General Self-Efficacy Scale (Lee et al., 1993; Schwarzer & Jerusalem, 1992). The scale contains 10 questions, with higher scores indicating higher self-efficacy. Responses were rated on a four-point Likert scale. Cronbach's α for the original scale was .75, and .88 in this study.

Health-promoting behaviors were measured using a modified and supplemented tool (Song et al., 2021) based on the Health Lifestyle Profile (Walker et al., 1987). This tool contains 25 questions in five sub-areas: health responsibility, eating habits, exercise habits, stress management, and smoking habits. Responses were rated on a four-point Likert scale (1 = 'never'; 4 = 'always'). The total score ranges from 25 to 100, with a higher score indicating a higher health-promoting lifestyle. Cronbach's α for the modified scale was .92 (Walker et al., 1987), and that for the original scale was .80 (Song et al., 2021). In this study, Cronbach's α was .88.

Statistical Analysis

Data were analyzed using SPSS/WIN 25.0; IBM, Armonk, NY, USA. Statistics for DHTL, health empowerment, self-efficacy, and health-promoting behaviors were calculated as means and standard deviations. DHTL, health empowerment, self-efficacy, and health-promoting behaviors based on participants' general characteristics were analyzed using t-tests and analysis of variance. A post-hoc test was conducted. The relationships between DHTL, health empowerment, self-efficacy, and health-promoting behaviors were analyzed using Pearson's correlation coefficients. Multiple regression analyses were performed to identify the factors affecting DHTL, health empowerment, self-efficacy, and health-promoting behaviors.

1076 Effects of Digital Health Technology Literacy Ethical Considerations

This study was approved by the Institutional Review Board of C University (No. 1041078-20221118-HR-015). During data collection, personal information was limited to essential details needed for this study, such as age, sex, work experience, and educational level. Data collected through the surveys were recorded and stored in a manner that did not allow for the identification of participants, and measures were taken to prevent data leakage. Data were encrypted and stored in files on the researcher's computer and were accessible only to the researcher through locked drawers. Research-related materials will be securely disposed of by completely deleting the files using safe methods, as stipulated in Article 15 of the Enforcement Rules of the Bioethics and Safety Act (Legislative Research Institute, 2021), three years after this study.

Results

Participants' DHTL, health empowerment, self-efficacy, and health-promoting behaviors

Table 1 shows participants' DHTL, health empowerment, self-efficacy, and health-promoting behaviors.

Variable	Range	M ± SD	Min	Max
DHTL-AQ(Assessment Questionnaire)	0–34	29.67 ± 4.99	6	34
ICT terms (Information and Communications Technology)	0–11	9.47 ± 2.36	1	11
ICT icons	0–9	8.71 ± 1.17	0	9
Digital functional literacy	0–9	7.73 ± 1.97	0	9
Digital critical literacy	0–5	3.76 ± 1.43	0	5
Health empowerment	8–40	28.94 ± 5.17	9	40
Self-efficacy	10–40	27.63 ± 4.17	14	40
Health-promoting behaviors	25–100	64.12 ± 10.65	36	98
Health responsibility	6–24	14.62 ± 3.03	6	24
Physical activity	4–16	9.45 ± 2.66	4	16
Nutrition	7–28	17.99 ± 3.96	7	28
Stress management	5–20	12.41 ± 2.72	5	20
Smoking	3–12	9.65 ± 2.30	3	12

Table 1. Levels Of DHTL, Health Empowerment, Self-Efficacy, And Health-Promoting Behaviors.

DHTL, health empowerment, self-efficacy, and health-promoting behaviors according to participants' general characteristics

Table 2 shows DHTL, health empowerment, self-efficacy, and health-promoting behaviors based on participants' general characteristics. DHTL levels were significantly different depending on age, economic status, residential area, educational status, employment type, government subsidies, depressive mood, and suicidal ideation. Health empowerment showed significant differences according to economic status, educational status, religion, depressive mood, and suicidal ideation. Self-efficacy differed significantly based on sex, age, economic status, employment type, academic status, depressive mood, and suicidal ideation. Further,

health-promoting behaviors differed significantly according to age, economic status, educational status, religion, smoking status, high-risk drinking, depressive mood, and suicidal ideation.

		Total	DHTL		Health empowerm ent		Self- efficacy		Health- promoting behavior	
Variable	Classifica tion	n (%)	M ± SD	t/F (p) Sche ffé	M ± SD	t/F (p) Sche ffé	M ± SD	t/F (p)	M ± SD	t/F (p) Sche ffé
Sex	Men	556 (51.2)	29. 91 ± 5.2 9	1.56 7	29. 02 \pm 5.0 5	0.51	27. 95 ± 4.1 7	2.54 4	63. 79 ± 10. 84	1.04 4
	Women	530 (48.8)	29. 43 ± 4.6 5	(.117)	28. 86 ± 5.3 1	(.608)	27. 31 ± 4.1 5	(.01 1)	64. 47 ± 10. 44	(.297)
Age (years)	20–29	203 (18.7)	29. 96 ± 5.2 3		29. 44 ± 5.7 7		28. 59 ± 4.8 8		64. 22 ± 10. 69	
	30–39	211 (19.4)	$30. \\ 87 \\ \pm \\ 4.0 \\ 6$	9.24	29. 30 ± 5.0 4		28. 14 ± 4.1 7	5.12	$62. \\ 00 \\ \pm \\ 10. \\ 32$	0 12
	4049	267 (24.6)	30. 17 \pm 4.5 5	$\begin{array}{c} 0. \\ 0. \\ 7 \\ .001) \\ .5 \\ c > d \\ 8. \\ b > e \\ 4 \\ .5 \end{array}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.74 5 (.139)	27.04 ± 4.05	1 (< .001) a >	62. 98 ± 10. 19	8.12 2 (< .001) e > a,
	50–59	271 (25.0)	28. 44 ± 5.5 8		28. $b > e$ 44 \pm 5.5 8	28. 82 \pm 4.6 2		27. c, d 17 ± 3.6 2	c, d	64. 87 ± 10. 60
	60–64	134 (12.3)	28. 88 ± 4.9 4		29. 16 ± 4.7 5		27. 51 ± 3.9 7		68. 11 ± 10. 96	
Economi c status	High	72 (6.6)	30. 85	6.74 1	31. 63	26.2 58	29. 86	30.8 54	71. 13	40.4 9

posthumanism.co.uk

1078 Effects of Digital Health Technology Literacy

			$\begin{bmatrix} \pm \\ 3.8 \\ 8 \end{bmatrix}$	(.002)	$\begin{array}{c} \pm \\ 5.2 \\ 7 \end{array}$	(< .001)	± 3.6	(< .001	± 11. 38	(< .001)
	Medium	805 (74.2)	8 29. 82 ± 4.9 2	c , c	29. 20 ± 5.0 4	a > b, c b > c	$ \begin{array}{r} 0 \\ 27. \\ 90 \\ \pm \\ 3.9 \\ 5 \end{array} $	a > b, c b > c	64. 73 ± 10. 11	a > b, c b > c
	Low	209 (19.2)	28. 71 ± 5.4 4		27.02 ± 5.04		$25. \\ 85 \\ \pm \\ 4.5 \\ 3$		59. 37 ± 10. 51	
Marital status	Single	405 (37.3)	29. 99 ± 4.9 1		$29. \\ 16 \\ \pm \\ 5.4 \\ 0$		27. 83 \pm 4.6 2	_	63. 22 ± 10. 35	
	Married	631 (58.1)	29. 57 ± 4.9 8	2.45 6 (.086)	$28. \\ 84 \\ \pm \\ 5.0 \\ 3$	0.73 0 (.482)	$27. 58 \pm 3.8 5$	1.70 0 (.18 3)	64. 75 ± 10. 81	2.61 5 (.074)
	Other	50 (4.6)	28. 46 ± 5.6 1		$28. 42 \pm 5.2 3$		26. 72 ± 4.1 7		63. 56 ± 10. 64	
Region	Seoul	192 (17.7)	30. 59 ± 3.9 7		29. 13 ± 5.5 8		28. 26 ± 3.9 9		64. 78 ± 10. 70	
	Metropoli tan city	335 (30.8)	29. 24 ± 5.7 9	4.50 1 (.005	$29. \\ 04 \\ \pm \\ 5.2 \\ 0$	1.33 8	27.56 ± 4.18	2.06 7	64. 16 ± 11. 11	1.21 3
	Special self- governing city	21 (1.9)	27. 14 ± 7.3 4) a > b, c	26. 81 ± 5.7 3	(.261	$26. \\ 62 \\ \pm \\ 4.2 \\ 7$	(.10 3)	60. 19 ± 9.2 6	(.304
	Do province	538 (49.6)	$ \begin{array}{c} 29. \\ 72 \\ \pm \\ 4.6 \\ 0 \end{array} $		28. 89 ± 4.9 8		$ \begin{array}{c} 27. \\ 50 \\ \pm \\ 4.2 \\ 1 \end{array} $		64. 03 ± 10. 37	

			_					Kin	n et al. 1	079
Current economi c activity	No Yes	318(2 9.3) 768	$ \begin{array}{c} 29. \\ 42 \\ \pm \\ 5.0 \\ 3 \\ 29. \\ 78 \\ \pm \end{array} $	1.16 1 (.281)	28.97±5.1928.93±	0.01 2 (.915)	$27. \\ 34 \\ \pm \\ 4.3 \\ 8 \\ 27. \\ 76 \\ \pm $	2.20 4 (.13 8)	$ \begin{array}{c} 64. \\ 19 \\ \pm \\ 9.8 \\ 5 \\ 64. \\ 10 \\ \pm \end{array} $	0.02 2 (.883)
Type of	Not	318	4.9 8 29. 42		5.1 7 28. 97		4.0 8 27. 34		10. 96 64. 19	
employ ment	applicable	(29.3)		2.58 7 (.036)		0.20 5 (.936)				
	worker	(49.0)			± 5.0 6 29.			4.67 7 (.00 1)		0.26 0 (.901)
	Indefinite contractor	41 (3.8)								
	Non- regular worker	80 (7.3)	$51 \pm 5.2 8$		55 ± 4.9 2		78 ± 3.9 3		54 ± 12. 25	
	Self- employed and freelance	115 (10.6)	29.70 ± 4.4		$ \begin{array}{c} 28. \\ 72 \\ \pm \\ 5.5 \\ 0 \end{array} $		20. 98 \pm 4.0 3		03. 20 ± 10. 35	
Educati on	Primary school	14 (1.3)	25. 93 ± 5.9 2	18.2 32	26. 64 ± 3.6 3	7.24	25. 79 ± 4.6 3	7.00	64. 00 ± 10. 30	3.22
	High school	182 (16.8)	27. 10 \pm 5.8 8	.001) d > a, b c > a, b	27. 92 ± 5.2 0	(< .001) d > a, b, c	26. 67 ± 4.3 5	(< .001) c, d > b	62. 50 ± 10. 51	/ (.022) d > b
	Universit y	809 (74.5)	30. 19 ±		29. 01 ±		27. 76 ±		64. 22 ±	

posthumanism.co.uk

1080 Effects of Digital Health Technology Literacy

			4.6		5.2		4.1		10.	
	Master's degree or higher	81 (7.4)	$ \begin{array}{c} 1 \\ 30. \\ 98 \\ \pm \\ 4.1 \\ 8 \end{array} $		$ \begin{array}{c} 0 \\ 30. \\ 88 \\ \pm \\ 4.4 \\ 7 \end{array} $		$2 \\ 28. \\ 90 \\ \pm \\ 3.6 \\ 2$		65 66. 85 ± 10. 49	
Religion	No	675 (62.2)	29. 74 ± 4.9 5	0.56 9	$28. \\ 61 \\ \pm \\ 5.2 \\ 7$	2.70 4	27.51 ± 4.09	1.26 5	62. 75 ± 10. 42	5.54 0
	Yes	411 (37.8)	$29. \\ 56 \\ \pm \\ 5.0 \\ 6$	(.569)	29. 48 ± 4.9 7	(.007	27.84 ± 4.30	(.20 6)	66. 39 ± 10. 64	(< .001)
Basic livelihoo d recipient	Yes	44 (4.1)	27. 16 ± 7.3 7	2.33 9	$28. \\ 09 \\ \pm \\ 6.4 \\ 6$	0.89 6	27. 18 \pm 4.4 6	0.73 5	63. 93 ± 7.8 9	0.16
	No	1042 (95.9)	29. 78 ± 4.8 4	(.024)	28. 98 ± 5.1 1	(.375	27. 65 ± 4.1 6	(.46 2)	64. 13 ± 10. 75	(.872)
Smoking	Non- smoker	665 (61.2)	29. 64 ± 4.8 5		28. 98 ± 5.2 6		27. 50 ± 4.1 5		$ \begin{array}{r} 65. \\ 11 \\ \pm \\ 10. \\ 32 \end{array} $	10.7
	Ex- smoker	177 (16.3)	30. 34 ± 462	2.34 1 (.097)	$29. \\ 40 \\ \pm \\ 4.5 \\ 5$	1.57 0 (.208)	27. 84 \pm 4.0 6	0.94 4 (.39 0)	65. 51 ± 10. 76	90 (< .001) a, b >
	Current smoker	244 (22.5)	29. 29 ± 5.5 7		$28. 50 \pm 5.3 4$		27. 86 ± 4.3 1		60. 42 ± 10. 64	C
High- risk drinking	Yes	133 (12.3)	$30. \\ 05 \\ \pm \\ 4.3 \\ 8$	0.93 2 (.352	29. 21 ± 5.0 5	0.64 5 (.519	28. 19 ± 3.9 5	1.63 6 (.10 2)	61. 69 ± 9.5 7	2.82 2 (.005
	No	953 (87.7)	29. 62)	28. 90)	27. 56	2)	64. 46)

			_					Kin	<i>i et al.</i> 1	081
			± 5.0 7		± 5.1 9		± 4.1 9		± 10. 75	
Number of chronic diseases	No	687 (63.2)	29. 99 ± 4.7 9		29. 10 ± 5.2 3		27. 83 ± 4.1 0		63. 69 ± 10. 98	
	1	293 (27.0)	29. 14 ± 5.3 4	2.57 3	28. 81 \pm 5.0 8	0.87	27. 46 ± 4.2 3	2.37	64. 84 ± 9.5 9	1.03 5
	2	79 (7.3)	$28. 96 \pm 5.3 1$	(.053	28. 33 ± 4.7 6)	26. 57 ± 4.3 3	(.06 9)	65. 04 ± 10. 65	(.376)
	≥3	25 (2.5)	$ \begin{array}{c} 29. \\ 70 \\ \pm \\ 4.8 \\ 2 \end{array} $		$ \begin{array}{c} 28. \\ 11 \\ \pm \\ 6.0 \\ 0 \end{array} $		27. 74 ± 4.5 2		64. 67 ± 12. 66	
Depressi ve mood	Yes	174 (16.0)	$28. \\ 53 \\ \pm \\ 5.2 \\ 0$	3.30 5	27. 58 ± 5.3 8	3.80 3	25. 99 ± 4.3 9	5.74 6	60. 21 ± 10. 25	5.35 6
	No	912 (84.0)	29. 89 ± 4.9 2	(.001	29. 20 ± 5.1 0	(< .001)	27. 95 ± 4.0 5	.001	64. 87 ± 10. 56	(< .001)
Suicidal ideation	Yes	209 (19.2)	$ \begin{array}{c} 29. \\ 00 \\ \pm \\ 5.2 \\ 3 \end{array} $	2.16 4	28. 04 ± 5.1 6	2.79 5	26. 22 ± 4.3 6	5.51 3	61. 28 ± 10. 09	4.33 0
	No	877 (80.8)	29. 83 ± 4.9 2	(.031)	29. 15 ± 5.1 6	(.005)	27. 97 ± 4.0 5	.001	64. 80 ± 10. 67	(< .001)

Table 2. Differences In DHTL, Health Empowerment, Self-Efficacy, And Health-Promoting Behavior.

Correlations Between DHTL, Health Empowerment, Self-Efficacy, And Health-Promoting Behaviors

Table 3 shows the correlations between DHTL, health empowerment, self-efficacy, and health-

posthumanism.co.uk

1082 Effects of Digital Health Technology Literacy promoting behaviors.

	Digital health technology literacy r (P)	Health empowerment r (P)	Self-efficacy r (P)	Health- promoting behaviors r (P)
DHTL	1			
Health empowerment	.391 (< .001)	1		
Self-efficacy	.326 (< .001)	.505 (< .001)	1	
Health-promoting behaviors	.184 (< .001)	.490 (< .001)	.422 (< .001)	1

Table 3. Correlations Between DHTL, Health Empowerment, Self-Efficacy, And Health-Promoting Behaviors.

Factors Influencing Health-Promoting Behaviors

Table 4 shows the results of the multiple regression analysis that sequentially input general characteristics, DHTL, health empowerment, and self-efficacy, which showed significant differences. The regression analysis assumption was made by dividing it into a multicollinearity diagnosis, residuals, and specific values. Testing the assumption using regression analysis revealed that the Durbin–Watson statistic was 1.951, which was not self-correlated. The tolerance was 0.78–0.93, and the variance inflation factor was not more than 10 (1.07–1.30), indicating that the multicollinearity problem was not present. Residual analysis revealed that the assumptions of model linearity, normality of the error term, and equal variance were satisfied. Cook's distance value was not more than 1.0, indicating that the regression analysis results were valid.

		Model 1	l		Model 2			
	Variable	β	В	P	β	В	P	
Control	Age	0.070	0.060	.020	0.127	0.108	<.001	
	Economic status							
	High	0.183	10.400	< .001	.125	5.339	< .001	
	Medium	0.243	4.436	< .001	0.090	2.191	.002	
	Low		1			1		
	Education							
	Primary school		1			1		
	High school	-0.058	-1.657	.548	-0.075	-2.149	.367	
	University	-0.044	-1.067	.693	-0.086	-2.089	.372	
	Master's degree or higher	-0.011	-0.445	.878	-0.075	-3.018	.230	

Kim et al. 1083

						mini ci ui.	1005			
	Religion									
	No		1			1				
	Yes	0.133	2.928	< .001	0.089	1.959	<.001			
	Smoking									
	Non-smoker	0.163	3.566	< .001	0.175	3.819	< .001			
	Ex-smoker	0.144	4.159	< .001	0.123	3.532	< .001			
	Current smoker		1			1				
	High-risk drinking									
	Yes		1			1				
	No	0.025	0.821	.394	0.055	1.772	.034			
	Depressive mood									
	Yes		1			1				
	No	0.108	3.143	< .001	0.048	1.388	.085			
	Suicidal ideation									
	Yes		1			1				
	No	.043	1.161	.178	0.016	0.439	.556			
Independent	DHTL				-0.029	-0.063	0.291			
	Health empowerment				0.343	0.706	< .001			
	Self-efficacy				0.242	0.619	<.001			
Constant		57.601		< .001	20.952		<.001			
F (p)		15.190	15.190			40.980				
Adjusted R ²	Adjusted R ²		.136			.356				
Durbin-Wats	Durbin–Watson			1.911			1.951			

Table 4. Factors Influencing Health-Promoting Behaviors.

The regression model of the factors affecting health-promoting behaviors was significant (F = 40.98, P < .001), explaining 35.6% of the health-promoting behaviors. Age, economic status, religion, smoking status, health empowerment, and self-efficacy had significant effects on health-promoting behaviors. Multiple regression analysis revealed that health-promoting behaviors, whereas health empowerment and self-efficacy had significant positive effects. High economic status had the greatest influence on health-promoting behaviors.

Discussion

This study examined the effects of DHTL, health empowerment, and self-efficacy on healthpromoting behaviors in South Korean adults using a recently developed DHTL tool. Age,

economic status, religion, smoking, health empowerment, and self-efficacy affected healthpromoting behaviors, with an explanatory power of 35.6%. However, DHTL did not influence health-promoting behaviors. Higher health empowerment (P < .001) and self-efficacy (P < .001) were associated with more health-promoting behaviors. Moreover, high economic status had the greatest influence on health-promoting behaviors ($\beta = 5.339$).

The average health empowerment score (28.9) was higher than that in a previous study that used the same tool with older adults (24.58) (Ko, 2017) and moderately higher than that in studies with different tools (Jeong et al., 2022; Park & Park, 2013; Thakur, 2017). The average self-efficacy score (27.6) was also higher than that in a previous study using the same tool (Lee & Schwarzer, 1993). Moreover, the average health-promoting behavior score (64.1) was higher than that reported in a previous study (Jeong et al., 2022). However, these studies included participants who were chronically ill or older adults, whereas this study included the general adult population that had experienced the COVID-19 pandemic and had an increased interest in health and health-related behaviors.

The average DHTL score (29.7) was higher than the average. However, it is difficult to directly compare scores of digital health literacy in previous studies using the newly developed tool, especially since previous studies have not focused on the general adult population. Moreover, the score in our study was higher than that in Yoon et al. (2022), which divided participants with average scores of 22 or more and less than 22 into high and low groups, respectively. The score may be higher because the online survey covered the entire population. In addition, the DHTL scores may be high because this study focused on the general adult population with high accessibility to digital devices, such as computers and smartphones. As previous studies did not investigate the general adult population, the current findings can be used as comparative data for subsequent DHTL studies.

DHTL was higher among participants aged 20–49 years than among those aged 50–64 years. Participants with a high economic status had higher DHTL than those with a medium or low economic status. These results indicate the need to improve DHTL among vulnerable groups, including older adults and low-income households, and are consistent with the findings of Park et al. (2022). DHTL scores were higher in Seoul among full-time employees, participants with a university or higher educational background, participants who did not receive medical benefits, and participants without depressive mood or suicidal ideation. The current findings may be used as a basis to establish target groups for national health policy, strengthen the digital health literacy of the entire population, and prevent the expansion of populations vulnerable to digital technology. Target groups should include individuals in rural areas, temporary employees, individuals with limited education and low income, and individuals with depressive mood and suicidal ideation.

Among the general characteristics, health empowerment, self-efficacy, and health-promoting behaviors were significantly higher among participants with high economic status, graduate degrees, and no depressive mood or suicidal ideation. This aligns with previous studies showing that economic status and education level are correlated with health empowerment, self-efficacy, and health-promoting behaviors (Chen et al., 2014; Jang & Shin, 2020; Jeong et al., 2022; Kiajamali et al., 2017; Kim, 2009; Park & Kim, 2016). Men had significantly higher self-efficacy than women, and participants in their 20s had significantly higher self-efficacy than those in their 40s and 50s. Full-time employees had the highest self-efficacy, indicating that self-efficacy—the belief that one can successfully perform the necessary behaviors to achieve a desired outcome (Bandura, 1989)—begins with stable employment. Individuals aged 60–64 years exhibited significantly higher health-promoting behaviors than those in the other groups.

In addition, lifelong nonsmokers, former smokers, and participants without high-risk drinking habits exhibited significantly more health-promoting behaviors. Health-promoting behaviors were higher in age groups that were more likely to have health-related problems.

Finally, this study revealed that age, economic status, religion, smoking status, health empowerment, and self-efficacy affected health-promoting behaviors. Health-promoting behaviors increase with age. Moreover, it was significantly higher in the high economic status, religious, and non-smoking groups, which aligns with prior results. The effects of health empowerment and self-efficacy on health-promoting behaviors have also been observed in previous studies of older adults and individuals with diseases. Our findings can be used as comparative data in subsequent studies involving all age groups. This study demonstrated that the factors affecting health-promoting behaviors of the general adult population during the COVID-19 pandemic did not differ from those affecting people with certain diseases.

Limitations

DHTL did not affect health-promoting behaviors, likely because this study used an online survey, which may have created a bias toward participants with easy access to computers, smartphones, and the knowledge and acceptance of digital technology. Furthermore, as digital device use is common in everyday life in South Korea—a country where the Internet penetration rate is higher than that in other countries—digital technology use is not likely to be a key challenge for most adults. Therefore, future studies should focus on the following aspects. First, DHTL should be addressed through in-person visits and telephone surveys, targeting participants with limited access to digital devices. Second, studies should be conducted that target vulnerable groups such as low-income individuals, older adults, and people with disabilities. Third, research is needed to investigate whether DHTL, health empowerment, and self-efficacy are associated with health-promoting behaviors across different age groups or income levels and whether they act as mediating variables. Paradoxically, the current results underscore the need for national health policies aimed at reducing health inequalities among vulnerable groups, as the DHTL and health-promoting behavior scores of adults in South Korean society with high Internet penetration were higher than expected. This provides essential evidence on how vulnerable populations can be approached more effectively when developing such policies.

Conclusion

Age, economic status, religion, smoking, health empowerment, and self-efficacy influenced health-promoting behaviors among South Korean adults. Moreover, the factors influencing health-promoting behaviors did not differ significantly between the general adult population and individuals with specific diseases or specific populations. However, DHTL did not impact health-promoting behaviors, likely because the current focus was on conducting an online survey targeting the general adult population in a society with high Internet penetration rates.

Future research should involve in-person visits and telephone surveys to include participants with limited access to digital devices. Additionally, all age groups and vulnerable populations such as low-income groups, older adults, and people with disabilities should be included. The current findings confirm that health empowerment and self-efficacy are relevant factors that enhance health-promoting behaviors among adults. Further, this study informs national health policy strategies to integrate DHTL and address health inequalities.

Acknowledgments: This work was supported by Chung-Ang University research grant in 2024.

Funding Statement: This study was supported by the National Research Foundation of Korea in 2022 (No. NRF-2022R1A2C1002743). This work was supported by Chung-Ang University research grant in 2024.

Disclosure Statement: The authors report there are no competing interests to declare.

References

- Anderson, R. M., Fitzgerald, J. T., Gruppen, L. D., Funnell, M. M., & Oh, M. S. (2003). The diabetes empowerment scale-short form (DES-SF). Diabetes Care, 26(5), 1641–1642. https://doi.org/10.2337/diacare.26.5.1641-a
- Bandura, A. (1989). Social cognitive theory. In I. R. Vasta (Ed.), Annals of child development (Vol. 6, pp. 1–60). JAI Press.
- Bodie, G. D., & Dutta, M. J. (2008). Understanding health literacy for strategic health marketing: eHealth literacy, health disparities, and the digital divide. Health Marketing Quarterly, 25(1–2), 175–203. https://doi.org/10.1080/07359680802126301
- Brørs, G., Norman, C. D., & Norekvål, T. M. (2020). Accelerated importance of eHealth literacy in the COVID-19 outbreak and beyond. European Journal of Cardiovascular Nursing, 19(6), 458–461. https://doi.org/10.1177/1474515120941307
- Chen, A. M., Yehle, K. S., Albert, N. M., Ferraro, K. F., Mason, H. L., Murawski, M. M., & Plake, K. S. (2014). Relationships between health literacy and heart failure knowledge, self-efficacy, and self-care adherence. Research in Social and Administrative Pharmacy, 10(2), 378–386. https://doi.org/10.1016/j.sapharm.2013.07.001
- Cheon, K. I., & Shin, Y. H. (2020). Health promotion behavior, self-efficacy, marital intimacy, and successful aging in middle-aged. Journal of Korean Academy of Fundamentals of Nursing, 27(3), 259– 267. https://doi.org/10.7739/jkafn.2020.27.3.259
- Gallup Korea. (2024). 2012–2021 survey on smartphone usage rates & brands, smartwatches, and wireless earphones. https://www.gallup.co.kr/gallupdb/reportContent.asp?seqNo=1217
- Griebel, L., Enwald, H., Gilstad, H., Pohl, A. L., Moreland, J., & Sedlmayr, M. (2018). eHealth literacy research—Quo vadis? Informatics for Health and Social Care, 43(4), 427–442. https://doi.org/10.1080/17538157.2017.1364247
- Hwang, M., & Park, Y.-H. (2021). Concept analysis of digital health literacy. Journal of Muscle and Joint Health, 28(3), 252–262. https://doi.org/10.5953/JMJH.2021.28.3.252
- Jang, J., & Shin, Y. S. (2020). Factors influencing on health promoting behavior of community-dwelling older adults. Journal of the Korea Academia-Industrial Cooperation Society, 21(2), 460–469.
- Jeong, E., Lee, K. S., Yang, S. K., & Cho, J. H. (2022). Influence of health empowerment, spousal support, and post-traumatic growth on health behavior in patients with coronary artery disease. Journal of Korean Biological Nursing Science, 24(2), 113–121.
- Jeong, J. H., & Kim, J. S. (2014). Health literacy, health risk perception and health behavior of elders. Journal of Korean Academy of Community Health Nursing, 25(1), 65–73. https://doi.org/10.12799/jkachn.2014.25.1.65
- Kiajamali, M., Hosseini, M., Estebsari, F., Nasiri, M., Ashktorab, T., Abdi, A., & Zadeh, M. J. (2017). Correlation between social support, self-efficacy and health-promoting behavior in hemodialysis patients hospitalized in Karaj in 2015. Electronic Physician, 9(7), 4820–4827. https://doi.org/10.19082/4820
- Kim, H.-S. (2009). A study of influential factors on health promoting behavior among Korean seniors in community. Unpublished master's thesis. Soongsil University.

- Kim, H.-S., & Hur, J. S. (2010). A study of influential factors on health promoting behaviors of the elderly: Focusing on senior citizens living in Seoul. Journal of the Korea Gerontological Society, 30(4), 1129– 1143.
- Ko, M. S. (2017). Influence of health literacy, health empowerment on health behavior practice in elderly patients with coronary artery disease. Unpublished master's thesis. Jeju National University.
- Korean Statistical Information Service. (2022). 2020 Survey on internet usage. https://www.index.go.kr/potal/main/EachDtlPageDetail.do?idx_cd=1346
- Lee, M. S. (2017). Health literacy and health behaviors among older adults with cardio-cerebrovascular disease residing in rural area. Korean Journal of Adult Nursing, 29(3), 256–265. https://doi.org/10.7475/kjan.2017.29.3.256
- Lee, Y. J., Shin, S. J., Wang, R. H., Lin, K. D., Lee, Y. L., & Wang, Y. H. (2016). Pathways of empowerment perceptions, health literacy, self-efficacy, and self-care behaviors to glycemic control in patients with type 2 diabetes mellitus. Patient Education and Counseling, 99(2), 287–294. https://doi.org/10.1016/j.pec.2015.08.021
- Lee, Y. M., Schwarzer, R., & Jerusalem, M. (1993). Korean adaptation of the general self-efficacy scale. http://userpage.fu-berlin.de/~health/korean.htm
- Liobikienė, G., & Bernatonienė, J. (2018). The determinants of access to information on the Internet and knowledge of health related topics in European countries. Health Policy, 122(12), 1348–1355. https://doi.org/10.1016/j.healthpol.2018.09.019
- Norman, C. D., & Skinner, H. A. (2006). eHealth literacy: Essential skills for consumer health in a networked world. Journal of Medical Internet Research, 8(2), e9. https://doi.org/10.2196/jmir.8.2.e9
- Park, C., & Park, Y.-H. (2013). Validity and reliability of Korean version of health empowerment scale (K-HES) for older adults. Asian Nursing Research, 7(3), 142–148. https://doi.org/10.1016/j.anr.2013.07.004
- Park, N. J., & Kim, K. S. (2016). Factors affecting health promoting behaviors of the vulnerable elderly. Journal of the Korean Geriatrics Society, 36(2), 275–294.
- Park, S. J., Kim, Y. S., Kim, D. H., Lim, Y., & Yoo, M. Y. (2022). In the era of digital transformation, digital health literacy trends and implications. Korea Health Industry Development Institute, KHIDI Brief, 353.
- Pender, N. J. (1996). Health promotion in nursing practice (3rd ed.). Appleton and Lange.
- Schwarzer, R., & Jerusalem, M. (1992). Self-efficacy as a resource factor in stress appraisal processes. In R. Schwarzer (Ed.), Self-efficacy: Thought control of action (pp. 195–213). Hemisphere Publishing Corp.
- Shin, N., & Kang, Y. (2015). The relationships among health locus of control and resilience, social support and health promoting behavior in patients with newly diagnosed coronary artery diseases. Korean Journal of Adult Nursing, 27(3), 294–303. https://doi.org/10.7475/kjan.2015.27.3.294
- Song, R., June, K.-J., Ro, Y.-J., & Kim, C.-G. (2001). Effects of motivation-enhancing program on health behaviors, cardiovascular risk factors, and functional status for institutionalized elderly women. Journal of Korean Academy of Nursing, 31(5), 858–870.
- Thakur, R. D. (2017). Feasibility study of the health empowerment intervention to evaluate the effect on self-management, functional health, and well-being in older adults with heart failure. Unpublished doctoral dissertation. Arizona State University.
- Walker, S. N., Sechrist, K. R., & Pender, N. J. (1987). The health-promoting lifestyle profile: Development and psychometric characteristics. Nursing Research, 36(2), 76–81.

World Health Organization. (1986). The Ottawa charter for health promotion. WHO Regional Office.

Yoon, J., Lee, M., Ahn, J. S., Kim, S. Y., & Kim, Y. R. (2022). Development and validation of digital health

technology literacy assessment questionnaire. Journal of Medical Systems, 46(2), 13. https://doi.org/10.1007/s10916-022-01800-8.